# Magnetic tape Marking tape, width 10 mm, white, sold by the meter | White

**Product number:** MB-10x0.85-W

Our magnetic tapes are indispensable and flexible helpers for permanent or changing s
These magnetic tapes with a colored surface are ideal for flexible labeling / colored ma
the marking tape with scissors. You can easily create magnetic labels yourself accordir
tape with a foil pen.
Can be used e.g. in the warehouse, office, cellar, kitchen, school; wherever flexible lab
The classic application is probably the informative marking on whiteboard boards or co

Delivery takes place in packaging units of 10 meter.

Width: 10 mm
Material thickness: 0.85 mm
Maximum length per roll: 10 meter.

We would be happy to make you an offer for the production of cuts according to your specifications (dimensions, color, material thickness). Just contact us by email.

## Technical specifications

| | | | |
|---|---|---|---|
| **Width:** | 10 mm | **Height H:** | 0,85 mm |
| **Maximum temperature:** | 80 °C | **Weight:** | 27 g |

## Production information and safety instructions

⚠ Please observe our safety instructions for this product.

| | |
|---|---|
| **Manufacturer:** | magnets4you GmbH, Bgm.-Dr.-Nebel-Str. 15a, 97816 Lohr a. Main, Deutschland, service@magnet-shop.net |

## Product images



## Important safety instructions for handling our magnets!

Permanent magnets and magnetic materials require special precautions. Please read the instructions carefully before use. If you have any further questions, please feel free to contact us. The company „magnets4you GmbH“ rejects any liability arising from improper handling of the magnets.

## Handling

**Increased caution with children:**
Keep magnets away from children! Danger of swallowing and serious injuries!



When handling strong magnets, pay attention to appropriate safety measures and protective clothing. Before use, remove all magnetic objects and use protective gloves and glasses.

**No mechanical processing and collisions!**
Incorrect handling of the magnets leads to a loss of the magnetic effect and to the destruction of the magnet. In addition, highly flammable drilling dust and other significant health risks are caused by the following hazards.

## Danger from magnets

**Injuries**
Improper handling of magnets can lead to bruises, contusions, or even broken bones.

**Splinters**
Magnets are brittle. Collisions cause small parts to splinter, which leads to health hazards and damage to the magnet.

**Magnetic fields**
Strong magnets can endanger and destroy electronic and mechanical components (pacemakers, data carriers, credit cards, electronic devices, etc.).

**Persons with cardiac pacemakers must not expose themselves to magnetic fields.**

**Other Risks**
- Many magnets have coatings that some people are allergic to. You should therefore avoid excessive skin contact with raw magnets
- Health hazards when they encounter food and drinking water. Only use magnets that are specifically designed for this area!

## Transportation and shipping

When shipping magnets, applicable regulations for stray magnetic fields during air transport must be observed (IATA dangerous goods regulations). These provisions also apply to built-in magnets.


© magnets4you GmbH | Bgm.-Dr.-Nebel-Str. 15a | D-97816 Lohr a. Main | Tel. +49 (0) 93 52 / 60 43 86-0 | www.magnet-shop.com | As of 26/03