

Pot magnet Ø 25 mm ferrite, thread M5, radius on the adhesive side

Product number: SP-147

Ferrite pot magnet Ø 25 x 9.1 mm with built-in hard ferrite magnets and external thread M5x4.

The turned steel housing is galvanized.

On the non-magnetic side there is a threaded pin M5x4 mm in the middle so that the pot magnet can be screwed on.

The magnetic adhesive side is usually flat and can therefore be placed on flat metal surfaces.



But this is different here:

The adhesive side has an inner radius, suitable so that this magnet rests snugly on a steel ball with a diameter of 70 mm.

This allows this pot magnet to be fixed on round objects.

This article is sold in packaging units of 5 pieces.

Technical specifications

Diameter:	25 mm	Material:	Ferrite
Coating:	Zinc	Thread length:	4 mm
Thread:	M5	Base height:	9,1 mm
Weight:	21 g	Tolerance:	+/- 0,1 mm

Production information and safety instructions




The product conforms to the European RoHS Community legislation

The product conforms to the European RoHS Community legislation ([2002/95/EC - RoHS - Restriction of Hazardous Substances](#)) relating to the use and the employment of certain hazardous substances in electrical and electronic devices.

 Please observe our safety instructions for this product.

Manufacturer: magnets4you GmbH, Bgm.-Dr.-Nebel-Str. 15a, 97816 Lohr a. Main, Deutschland, service@magnet-shop.net

Product images





Important safety instructions for handling our magnets!

Permanent magnets and magnetic materials require special precautions. Please read the instructions carefully before use. If you have any further questions, please feel free to contact us. The company „magnets4you GmbH“ rejects any liability arising from improper handling of the magnets.

Handling



Increased caution with children:

Keep magnets away from children! Danger of swallowing and serious injuries!



When handling strong magnets, pay attention to appropriate safety measures and protective clothing. Before use, remove all magnetic objects and use protective gloves and glasses.



No mechanical processing and collisions!

Incorrect handling of the magnets leads to a loss of the magnetic effect and to the destruction of the magnet. In addition, highly flammable drilling dust and other significant health risks are caused by the following hazards.

Danger from magnets



Injuries

Improper handling of magnets can lead to bruises, contusions, or even broken bones.



Splinters

Magnets are brittle. Collisions cause small parts to splinter, which leads to health hazards and damage to the magnet.



Magnetic fields

Strong magnets can endanger and destroy electronic and mechanical components (pacemakers, data carriers, credit cards, electronic devices, etc.).



Persons with cardiac pacemakers must not expose themselves to magnetic fields.



Other Risks

- Many magnets have coatings that some people are allergic to. You should therefore avoid excessive skin contact with raw magnets
- Health hazards when they encounter food and drinking water. Only use magnets that are specifically designed for this area!

Transportation and shipping



When shipping magnets, applicable regulations for stray magnetic fields during air transport must be observed (IATA dangerous goods regulations). These provisions also apply to built-in magnets.